



TYPE OF MACHINE :

Tool grinding machine

STOCK N°

90124

BRAND

EWAG

MODEL

WS 11

SERIAL N°

7111-3000

YEAR

2007

LOCATION

**73240 St-Genix-les-Villages,
FRANCE**

[DIRECT LINK](#)





TECHNICAL CHARACTERISTICS

The information on this page has been obtained by the best of our ability. Therefore, its accuracy can not be guaranteed



ADDITIONAL INFORMATION

EQUIPMENT INCLUDED:

- x1 infeed Z-axis : Infeed operation, metric 4 E-M with position reading – ref: 111-2-10666
- x1 cross feed X-axis Fine cross feed 4 FQ-M – ref: 111-2-21708
- x1 grinding stroke 3H : operation of the grinding stroke either by lever or by hand wheel – ref : 111-2-15167 (WS11)
- x1 grinding spindle Q 36-12, complete 9 JKP
- x1 workhead spindle BP 60-25 with W25 collet reception
- x1 dust extraction unit
- x1 foot switch 9 M – operation of infeed Z-axis by foot pedal. Infeed stroke steplessly adjustable – ref : 111-2-15740
- x1 LED machine lamp 24V/2.6W
- x1 digital display 4DZ + X +Y-MZ + digital indications for axes Z, X and Y – ref : 111-2-47178
- x1 ISOMA microscope – optic from the front
- x1 ISOMA microscope – optic from the top
- x1 radius grinding attachment 25ABP – ref : 111-2-23294
- x1 dividing head TS20 (6°) for radius grinding attachment 20ABP/25ABP – ref : 111-2-42192
- x1 Touch-Test TT acoustic touch control (grinding wheel to workpiece) – ref : 56-4050
- x1 Headset TT-K Stereo – ref : 56-4755
- x1 balancing attachment 9X – for statically balancing grinding wheels – ref : 111-2-15754
- x1 setting gauge 9N – for accurate orientation of single lip cutters – ref : 111-2-44498

The information on this page has been obtained by the best of our ability. Therefore, its accuracy can not be guaranteed















